

ROCKO

Tiles by Kronospan



WATERPROOF WALL SYSTEM



R119 Crema Valpolicella

ROCKO
Tiles by Kronospan

CONTENTS

06	product range
08	characteristics
09	surface textures
10	collection stones
38	collection metal
48	collection bosco
56	collection color
62	accessories
66	installation




Collection
STONES
2800 x 1230 x 4 mm




Collection
BOSCO
2800 x 1230 x 4 mm



Collection
METAL
2800 x 1230 x 4 mm




Collection
COLOR
2800 x 1230 x 4 mm



STONES




R102
Venato Nature, **PT**



R101
Statuario, **PT**



K349
Silk Flow, **PT**



R103
Calacatta, **PT**



R109
Concrete, **PT**



R130
Greige Babylon, **PT**



R119
Crema Valpolicella, **PT**



R115
Brooklyn Grey, **PT**



K024
Beige Pietra Marble, **PT**




R118
Ardesia, **PT**



R104
Rainforest Brown, **PT**



K026
Grey Pietra Marble, **PT**



R106
Marquina, **PT**

METAL



K104
Rusty Copper, **PT**



R120
Native Steel, **PT**



R121
Bohemian Loft, **PT**



R105
Copper Lamiera, **PT**

BOSCO



K365
Coast Evoke Oak, **FN**




R099
Vintage Herringbone, **PT**




R122
Yacht Wood, **FN**


COLOR




0110
White, **PT**



0564
Almond, **PT**



5981
Cashmere, **PT**




0171
Slate Grey, **PT**



CHARACTERISTICS



Waterproof



Scratch resistant




Stain proof and easy to clean



Soft touch



Fire resistant



Mineral based board



Dimensionally stable



Easy installation

PEETAH – PT texture



FLANDERS OAK – FN texture





Collection
STONES
2800 x 1230 x 4 mm






R102

Venato Nature

Peetah texture, **2800 x 1230 x 4 mm**

3 pattern by design








R101

Statuario

Peetah texture, **2800 x 1230 x 4 mm**



3 pattern by design





K349

Silk Flow

Peetah texture, **2800 x 1230 x 4** mm





R103

Calacatta

Peetah texture, **2800 x 1230 x 4 mm**



3 pattern by design





R119

Crema Valpolicella

Peetah texture, **2800 x 1230 x 4 mm**





R109

Concrete

Peetah texture, **2800 x 1230 x 4** mm






R115

Brooklyn Grey

Peetah texture, **2800 x 1230 x 4** mm





R130

Greige Babylon

Peetah texture, **2800 x 1230 x 4 mm**






K024

Beige Pietra Marble

Peetah texture, **2800 x 1230 x 4 mm**

3 pattern by design





R104

Rainforest Brown

Peetah texture, **2800 x 1230 x 4 mm**

3 pattern by design





K026

Grey Pietra Marble

Peetah texture, **2800 x 1230 x 4 mm**

3 pattern by design





R118

Ardesia

Peetah texture, **2800 x 1230 x 4 mm**





R106

Marquina

Peetah texture, **2800 x 1230 x 4 mm**

3 pattern by design





Collection

METAL

2800 x 1230 x 4 mm





K104

Rusty Copper

Peetah texture, **2800 x 1230 x 4 mm**





R120

Native Steel

Peetah texture, **2800 x 1230 x 4 mm**





R105

Copper Lamiera

Peetah texture, **2800 x 1230 x 4** mm

3 pattern by design





R121


Bohemian Loft

Peetah texture, **2800 x 1230 x 4 mm**





Collection
BOSCO
 2800 x 1230 x 4 mm





K365

Coast Evoke Oak

Flanders Oak texture, **2800 x 1230 x 4 mm**





R099

Vintage Herringbone

Peetah texture, **2800 x 1230 x 4 mm**








R122

Yacht Wood

Flanders Oak texture, **2800 x 1230 x 4 mm**





Collection

COLOR

2800 x 1230 x 4 mm



0110

White

Peetah texture, **2800 x 1230 x 4** mm



0564

Almond



Peetah texture, **2800 x 1230 x 4** mm



5981

Cashmere

Peetah texture, **2800 x 1230 x 4** mm



0171

Slate Grey

Peetah texture, **2800 x 1230 x 4** mm







ASSESSORIES



ASSESSORIES

profiles - 2800 mm



INSTALATION

Dry area installation

1

48h

15-30°C

59-86°F

2

ADHESIVE

3.1.A

PLYWOOD / OSB

3.1.B

CONCRETE / BRICK

3.1.C

OLD TILES

3.2

3.3

CLEAN & DEGRASE & DRY

3.4

4

5

6

ADHESIVE

6.A

20 - 45 cm

6.B

10 cm

ADHESIVE APPLICATION

<10 min

6.B

7

ADHESIVE

7.A

ADHESIVE APPLICATION

<40 min

8

9

LEVELING

2-3 mm

10.A

10.B

11.A

11.B

PROFILE

12

ROCKO

Wet area installation

1

48h

15-30°C

59-86°F

2

ADHESIVE

3.1.A

PLYWOOD / OSB

3.1.B

CONCRETE / BRICK

3.1.C

OLD TILES

3.2

3.3

WATERPROOFING

3.4

4

5

6

ADHESIVE

6.A

20 - 45 cm

6.B

10 cm

ADHESIVE APPLICATION

<10 min

6.B

7

ADHESIVE

7.A

ADHESIVE APPLICATION

<40 min

8

9

LEVELING

2-3 mm

10.A

10.B

11.A


11.B

PROFILE

12

ROCKO

More information:



www.rocko-tiles.com

ROCKO

Tiles by Kronospan



www.rocko-tiles.com

ROCKO

Flooring by Kronospan



A solid step up

Available also as Waterproof Flooring

kronospan

10/2021/EN

Product information in this brochure is correct at time of publication. The company has a policy of continuous product development and reserves the right to change any product specifications given in this brochure. Due to the variations in the printing process, colours in this brochure may be subject to deviation from the actual products.

Distributor:
Kronoflooring Sp. z o.o.
39-300 Mielec
ul. Wojska Polskiego 3
T +48 17 58 22 200
F +48 17 58 22 300
sales.jaslo@kronospan.pl

Producer:
Kronoflooring Sp. z o.o.
38-200 Jasło
ul. Przemysłowa 10
T +48 13 44 24 901